


DELHI PUBLIC SCHOOL, JAMMU

Assignment Pre-Board-I

Class XII

Subject: Physics

1. An electron, an alpha particle and a proton have the same kinetic energy. Which one of these particles has the largest de-Broglie wavelength?
2. Why should the material used for making permanent magnets have high coercivity?
3. The radioactive isotope D decays according to the sequence



If the mass number and atomic number of D_2 are 176 and 71 respectively, what is (i) the mass number (ii) atomic number of D?

4. Draw a plot of potential energy of a pair of nucleons as a function of their separation. What is the significance of negative potential energy in the graph drawn?
5. A convex lens of refractive index 1.5 has a focal length of 18 cm in air. Calculate the change in its focal length when it is immersed in water of refractive index $\frac{4}{3}$.
6. Distinguish between the terms 'average value' and 'rms value' of an alternating current. The instantaneous current from an a.c. source is $I = 5\sin(314t)$ ampere. What are the average and rms values of the current?
7. Write the relation for the force F acting on a charge carrier q moving with a velocity v through a magnetic field B in vector notation. Using this relation, deduce the conditions under which this force will be (i) maximum (ii) minimum.
8. A cylindrical metallic wire is stretched to increase its length by 5%. Calculate the percentage change in its resistance.
9. Define electric flux. Write its S.I. Units. A spherical rubber balloon carries a charge that is uniformly distributed over its surface. As the balloon is blown up and increases in size, how does the total electric flux coming out of the surface change? Give reason.
10. Deduce an expression for the electric potential due to an electric dipole at any point on its axis. Mention one contrasting feature of electric potential of a dipole at a point as compared to that due to single charge.
11. A parallel plate capacitor, each with plate area A and separation d , is charged to a potential difference V . The battery used to charge it is then disconnected. A dielectric slab of thickness d and dielectric constant K is now placed between the plates. What change, if any, will take place in

- (i) charge on the plates
- (ii) electric field intensity between the plates
- (iii) capacitance of the capacitor

Justify your answer in each case.

12. Write the mathematical relation for the resistivity of material in terms of relaxation time, number density and mass and charge of charge carriers in it. Explain, using this relation, why the resistivity of a metal increases and that of semi-conductor decreases with rise in temperature.

13. Explain with the help of a labelled diagram the underlying principle and working of a step- up transformer. Why cannot such a device be used to step – up d.c voltage?

14. Draw a labelled diagram of an a.c generator. Explain briefly its principle and working.

15. A parallel plate capacitor, each with plate area A and separation d , is charged to a potential difference V . The battery used to charge it is then disconnected. A dielectric slab of thickness d and dielectric constant K is now placed between the plates. What change, if any, will take place in

- (i) charge on the plates
- (ii) electric field intensity between the plates
- (iii) capacitance of the capacitor

Justify your answer in each case.

16. Define the term 'resolving power' of an astronomical telescope. How does it get affected on

- (i) increasing the aperture of the objective lens?
- (ii) increasing the wavelength of the light used?

Justify your answer in each case.

17. Write any four characteristics of electromagnetic waves. Give two uses each of (i) radio-waves (ii) micro-waves.

18. In a plot of photoelectric current versus anode potential, how does

- (i) the saturation current vary with anode potential for incident radiations of different frequencies but same intensity?
- (ii) the stopping potential vary for incident radiations of different intensities but same frequency?
- (iii) Photoelectric current vary for different intensities but same frequency of incident radiations?

Justify your answer in each case.

19. Explain, with the help of a schematic diagram, the principle and working of a Light Emitting Diode. What criterion is kept in mind while choosing the semiconductor material for such a device? Write any two advantages of Light Emitting Diode over conventional incandescent lamps.
20. Draw a labelled diagram of a moving coil galvanometer. State the principle on which it works.
21. Deduce an expression for the torque acting on a rectangular current carrying loop kept in a uniform magnetic field. Write two factors on which the current sensitivity of a moving coil galvanometer depends.
22. What are coherent sources? Why are coherent sources required to produce interference of light? Give an example of interference of light in everyday life.
In Young's double slit experiment, the two slits are 0.03 cm apart and the screen is placed at a distance of 1.5 m away from the slits. The distance between the central bright fringe and fourth bright fringe is 1 cm. Calculate the wavelength of light used
23. State the condition under which the phenomenon of diffraction of light takes place. Derive an expression for the width of central maximum due to diffraction of light at a single slit.
A slit of width 'a' is illuminated by a monochromatic light of wavelength 700 nm at normal incidence. Calculate the value of 'a' for position of
- (i) first minimum at an angle of diffraction of 30° .
 - (ii) first maximum at an angle of diffraction of 30° .
24. State the principle of working of p-n diode as a rectifier. Explain, with the help of a circuit diagram, the use of p-n diode as a full wave rectifier. Draw a sketch of the input and output waveforms.

State Biot-Savart